



Wheel of Misfortune





Genital Warts

• Symptoms?

None
Small pink/white lumps
Itching
Bleeding during sex

How do people get it?


Anal, vaginal, oral sex Skin to skin genital contact

Treatment?

Freezing, lasering, cream Can Come back







Genital Herpes

• Symptoms?

Tingling skin
Blisters
Painful when you pass urine/ pee
Red sores

How do people get it?

Sexual activity (including oral sex)


Complications?


Can come back, premature birth in pregnancy

Treatment?

Virus stays in blood but can have anti-viral tablets to help the pain







Chlamydia

Symptoms?

80% of women have none and 50% men have none

Clear discharge

Burns when you pass urine/ pee

Lower stomach/tummy pain

How do people get it?

Vaginal, anal or oral sex

Sex toys


Mother to baby

Complications/ problems?

Swollen testicles, Pelvic Inflammatory Disease, ectopic pregnancy, Infertility, arthritis.

Treatment?

Antibiotics



Gonorrhea

Symptoms?

No symptoms
Yellow-white discharge
Painful when you pee
Pelvic pain

How do people get it?

Vaginal, anal or oral sex Sex toys Mother to baby


Complications/ problems?

PID(pelvic inflammatory disease), infertility, ectopic pregnancy Inflamed testicles, sore throat

Treatment?

Antibiotics





Syphilis

Treatment?

Sores
Painless rash
Flu like symptoms
Swollen glands

How do people get it?

Vaginal, anal or oral sex Sex toys Mother to baby

Complications/problems?


Mental health problems
Brain, eyes, heart, nervous system

• Treatment?

Penicillin injections







HIV Human Immunodeficiency Virus

- HIV is a virus
- Infected/ infectious for life
- Virus attacks the immune system and destroys it
- May be no obvious symptoms and they may look and feel well

HIV

Human Immunodeficiency Virus

How do you get it??

having <u>unprotected</u> vaginal, anal or oral sex

(still present in pre-ejaculatory fluid/precum)


- sharing sex toys
- using a infected/dirty needle or syringe
- infected blood to blood
- infected mother to baby in pregnancy or Breast milk

Having another STI increases the risk of getting HIV or passing HIV on if you already have it

Protection?

- Condoms are the only form of contraception that can help protect a person from HIV.
- Not 100% effective
- If you think you are at risk you can take tablets up to 72hrs after event which may stop you being infected.

Available at A&E's in hospital



Pubic Lice

Symptoms?

Itchiness
Irritation
Black specks on skin

How do people get it?

Sexual activity
Close physical activity

Complications/ problems?

Discomfort and itching
Continued irritation
Can spread through bedding and clothes

Treatment?

Special creams/ lotion/ shampoo



How can I protect myself?

- Abstain
- Be faithful
- Condoms
- Delay/ Know who you're with



Did you know you can have a sexual health check-up WITHOUT

needing an intimate examination?

Where can I go to get help?

• Bangor Hospital Sexual Health Clinic

(beside Ward Park → Bangor Academy)

MONDAY: 9:30 am - 12 noon

Phone Number: 028 44 8133

Bangor GPs

Other Local Sexual Health Clinics:

Downe Hospital, Downpatrick:

Mon 8:50am - 11:20am


Wed 8:50am - 11:20am

3:00pm - 6:00pm

Fri 8:30am - 11:20am

Lisburn Health Centre (Ground floor):

Thurs 8:50am - 11:20am





MediLink

Free and Confidential

Every Tuesday

@ The Link, Newtownards
3.15pm – 5.15pm

Gordon Crozier, Senior Youth Worker

Gillian McCullough, Youth Health Advice Nurse Tel: 07525 898 726

(028) 9180 1834

Email: gillian.mccullough@setrust.hscni.net

Youth Health Advice Clinics

- Monday: 3-5pm @Totally You, Lisburn YMCA
- Tuesday: 3.15- 5.15pm @The Link,
 Newtownards
- Wednesday: 3.15- 5.15pm @CHAT,
 Bangor YMCA
- Thursday: 8-10pm @ KAIROS Centre, Newcastle